Author index

Abumrad, N.A., Briscoe, P., Beth, A.H. and Whitesell, R.R.
Temperature dependence of glucose transport in erythrocytes from normal and alloxan-diabetic rats (938) 222
Adam-Vizi, V., Allen, T.J.A. and Baker, P.F.
The effects of nitroprusside and putative agonists on guanylate cyclase activity in squid giant axons (938) 461
Allan, D. and Walklin, C.M.
Endovesiculation of human erythrocytes exposed to sphingomyelinase C: a possible explanation for the enzyme-resistant pool of sphingomyelin (938) 403
Allen, T.J.A., see Adam-Vizi, V. (938) 461
Alonso, M.T., see Sanchez, A. (938) 497
Amory, D.E. and Rouxhet, P.G.
Surface properties of *Saccharomyces cerevisiae* and *Saccharomyces carlsbergensis*: chemical composition, electrostatic charge and hydrophobicity (938) 61
Antonenko, Y.N. and Yaguzhinsky, L.S.
The ion selectivity of nonelectrogenic ionophores measured on a bilayer lipid membrane: nigericin, monensin, A23187 and lasalocid A (938) 125
Arsenault, A.L., Ling, V. and Kartner, N.
Altered plasma membrane ultrastructure in multidrug-resistant cells (938) 315
Artigues, A., see Villar, M.T. (938) 35
Avvakumov, G.V. and Strel'chyonok, O.A.
Evidence for the involvement of the transcortin carbohydrate moiety in the glycoprotein interaction with the plasma membrane of human placental syncytiotrophoblast (938) 1

Bachs, O., see Coll, M.J. (938) 121
Baker, P.F., see Adam-Vizi, V. (938) 461
Baldeschwieler, J.D., see Goodrich, R.P. (938) 143
Beaugé, L., see Campos, M. (938) 7
Behan, M.K., see Macdonald, A.G. (938) 231
Berberián, G., see Campos, M. (938) 7
Beth, A.H., see Abumrad, N.A. (938) 222
Bidet, M., Merot, J., Tauc, M. and Poujeol, P.
Role of monocarboxylic acid transport in intracellular pH regulation of isolated proximal cells (938) 257
Bisher, M.E., see Steer, C.J. (938) 167
Boggs, J.M., Koshy, K.M. and Rangaraj, G.
Influence of structural modifications on the phase behavior of semi-synthetic cerebroside sulfate (938) 361
Boggs, J.M., Koshy, K.M. and Rangaraj, G.
Interdigitated lipid bilayers of long acyl chain species of cerebroside sulfate. A fatty acid spin label study (938) 373
Borowski, E., see Szponarski, W. (938) 97
Bouloussa, O. and Dupeyrat, M.
Chiral discrimination in *N*-tetradecanoylalanine and *N*-tetradecanoylalanine/ ditetradecanoylphosphatidylcholine monolayers (938) 395
Brasitus, T.A., Dudeja, P.K. and Foster, E.S.
1,2-Dimethylhydrazine-induced alterations in Na^+–H^+ exchange in rat colonic brush-border membrane vesicles (938) 483
Briscoe, P., see Abumrad, N.A. (938) 222
Brockerhoff, H., see Chauhan, A. (938) 353

Campbell, L.E., see Wiener, M.C. (938) 135
Campos, M., Berberián, G. and Beaugé, L.
Some total and partial reactions of Na^+/K^+-ATPase using ATP and acetyl phosphate as a substrate (938) 7
Chattopadhyay, A. and London, E.
Spectroscopic and ionization properties of *N*-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)-labeled lipids in model membranes (938) 24
Chauhan, A., Chauhan, V.P.S. and Brockerhoff, H.
Calcium diphosphatidate membrane traversal is inhibited by common phospholipids and cholesterol but not by plasmalogen (938) 353
Chauhan, V.P.S., see Chauhan, A. (938) 353
Cheng, L., see Spiegel, S. (938) 270
Chou, J.Y., see Sun, I.L. (938) 17
Clemen, S., Rabl, C.-R. and Neumann, E.
Kinetic calibration of the calcium indicator arsenazo III. I. Stopped-flow spectroscopy (938) 456
Cohen, M.P., see Wu, V.-Y. (938) 107
Coll, M.J., Enrich, C., Domingo, J., Pujol, M.J. and Bachs, O.
Reduced levels of sialic acid in the plasma membrane during hepatocellular proliferation (938) 121
Collazos, J.M., see Sanchez, A. (938) 497
Cossins, A.R., see Macdonald, A.G. (938) 231
Cragoe, Jr., E.J., see Renner, E.L. (938) 386
Crane, F.L., see Sun, I.L. (938) 17

Dencher, N.A., see Grzesiek, S. (938) 411
Domingo, J., see Coll, M.J. (938) 121
Dorset, D.L.
Two untilted lamellar packings for an ether-linked phosphatidyl-*N*-methylethanolamine. An electron crystallographic study (938) 279
Duclohier, H., see Molle, G. (938) 310
Dudeja, P.K., see Brasitus, T.A. (938) 483
Dugast, J.-Y., see Molle, G. (938) 310
Dupeyrat, M., see Bouloussa, O. (938) 395

Enrich, C., see Coll, M.J. (938) 121

Epand, R.F. and Epand, R.M.
25-Hydroxycholesterol promotes myelin basic protein-induced leakage of phospholipid vesicles (938) 131
Epand, R.M., see Epand, R.F. (938) 131

Feigenson, G.W., see Meers, P. (938) 469
Felle, H., see Frachisse, J.-M. (938) 199
Ferragut, J.A., see Villar, M.T. (938) 35
Foster, E.S., see Brasitus, T.A. (938) 483
Foxwell, B.M.J., Frazer, G., Winters, M., Hiestand, P., Wenger, R. and Ryffel, B.
Identification of cyclophilin as the erythrocyte ciclosporin-binding protein (938) 447
Frachisse, J.-M., Johannes, E. and Felle, H.
The use of weak acids as physiological tools: a study of the effects of fatty acids on intracellular pH and electrical plasmalemma properties of *Riccia fluitans* rhizoid cells (938) 199
Frazer, G., see Foxwell, B.M.J. (938) 447
Frimmer, M., see Ziegler, K. (938) 44
Funder, J., Hershco, L., Rothstein, A. and Livne, A.
Na^+/H^+ exchange and aggregation of human platelets activated by ADP: the exchange is not required for aggregation (938) 425

Gary-Bobo, C.M., see Szponarski, W. (938) 97
Gonzalez-Ros, J.M., see Villar, M.T. (938) 35
Goodrich, R.P., Handel, T.M. and Baldeschwieler, J.D.
Modification of lipid phase behavior with membrane-bound cryoprotectants (938) 143
Gordon, M.A., see Stelzer, K.J. (938) 114
Green, B.R., see Webb, M.S. (938) 323
Grzesiek, S. and Dencher, N.A.
The 'ΔpH'-probe 9-aminoacridine: response time, binding behaviour and dimerization at the membrane (938) 411

Hainfeld, J.F., see Steer, C.J. (938) 167
Hanano, M., see Yuasa, H. (938) 189
Handel, T.M., see Goodrich, R.P. (938) 143
Hauptner, R., see Wyskovsky, W. (938) 89
Hausman, R.E., see Santini, M.T. (938) 489
Hellmann, G., see Plank, B. (938) 79
Hershco, L., see Funder, J. (938) 425
Hiestand, P., see Foxwell, B.M.J. (938) 447
Hohenegger, M., see Plank, B. (938) 79
Homan, R. and Pownall, H.J.
Transbilayer diffusion of phospholipids: dependence on headgroup structure and acyl chain length (938) 155

Iga, T., see Yuasa, H. (938) 189
Indovina, P.L., see Santini, M.T. (938) 489

Johannes, E., see Frachisse, J.-M. (938) 199
Jørgensen, K.E. and Sheikh, M.I.
Transport of pyruvate by luminal membrane vesicles from pars convoluta and pars recta of rabbit proximal tubule (938) 345

Kartner, N., see Arsenault, A.L. (938) 315
Kier, A.B., Parker, M.T. and Schroeder, F.
Local and metastatic tumor growth and membrane properties of LM fibroblasts in athymic (nude) mice (938) 434
Kinoshita, M., see Yamauchi, K. (938) 51
Klepser, H., see Wu, V.-Y. (938) 107
Koshy, K.M., see Boggs, J.M. (938) 361
Koshy, K.M., see Boggs, J.M. (938) 373
Kuksis, A., see Pind, S. (938) 211

Lake, J.R., see Renner, E.L. (938) 386
Leonards, K.S.
Changes in the surface charge properties of isolated cardiac sarcolemmal vesicles measured by light scattering. I. Characteristics of rat and canine preparations (938) 293
Levine, Y.K., see Van Gurp, M. (938) 71
Ling, V., see Arsenault, A.L. (938) 315
Livne, A., see Funder, J. (938) 425
London, E., see Chattopadhyay, A. (938) 24
Löw, H., see Sun, I.L. (938) 17
Lundahl, P., see Yang, Q. (938) 243

Macdonald, A.G., Wahle, K.W.J., Cossins, A.R. and Behan, M.K.
Temperature, pressure and cholesterol effects on bilayer fluidity; a comparison of pyrene excimer/monomer ratios with the steady-state fluorescence polarization of diphenylhexatriene in liposomes and microsomes (938) 231
Malo, C.
Kinetic evidence for heterogeneity in Na^+-D-glucose cotransport systems in the normal human fetal small intestine (938) 181
Matyas, G.R., see Spiegel, S. (938) 270
Meers, P. and Feigenson, G.W.
Location and ion-binding of membrane-associated valinomycin, a proton nuclear magnetic resonance study (938) 469
Merot, J., see Bidet, M. (938) 257
Molle, G., Dugast, J.-Y., Duclohier, H. and Spach, G.
Conductance properties of des-Aib-Leu-des-Pheol-Phe-alamethicin in planar lipid bilayers (938) 310
Morré, D.J., see Sun, I.L. (938) 17
Müller, N. and Petzinger, E.
Hepatocellular uptake of aflatoxin B_1 by non-ionic diffusion. Inhibition of bile acid transport by interference with membrane lipids (938) 334

Nagle, J.F., see Wiener, M.C. (938) 135
Neumann, E., see Clemen, S. (938) 456
Nikaido, H., see Trias, J. (938) 493

Parker, M.T., see Kier, A.B. (938) 434
Petzinger, E., see Müller, N. (938) 334
Pind, S. and Kuksis, A.
Solubilization and assay of phospholipase A_2 activity from rat jejunal brush-border membranes (938) 211
Plank, B., Wyskovsky, W., Hohenegger, M., Hellmann, G. and Suko, J.
Inhibition of calcium release from skeletal muscle sarcoplasmic reticulum by calmodulin (938) 79

Polzin, G., see Ziegler, K. (938) 44
Poujeol, P., see Bidet, M. (938) 257
Pownall, H.J., see Homan, R. (938) 155
Pujol, M.J., see Coll, M.J. (938) 121

Rabl, C.-R., see Clemen, S. (938) 456
Rangaraj, G., see Boggs, J.M. (938) 361
Rangaraj, G., see Boggs, J.M. (938) 373
Renner, E.L., Lake, J.R., Cragoe, Jr., E.J. and Scharschmidt, B.F.
Amiloride and amiloride analogs inhibit Na^+/K^+-transporting ATPase and Na^+-coupled alanine transport in rat hepatocytes (938) 386
Rosenberg, E.Y., see Trias, J. (938) 493
Rothstein, A., see Funder, J. (938) 425
Rouxhet, P.G., see Amory, D.E. (938) 61
Ryffel, B., see Foxwell, B.M.J. (938) 447

Sacktor, B., see Spiegel, S. (938) 270
Sanchez, A., Alonso, M.T. and Collazos, J.M.
Thrombin-induced changes of intracellular $[Ca^{2+}]$ and pH in human platelets. Cytoplasmic alkalinization is not a prerequisite for calcium mobilization (938) 497
Santini, M.T., Indovina, P.L. and Hausman, R.E.
Prostaglandin dependence of membrane order changes during myogenesis in vitro (938) 489
Scharschmidt, B.F., see Renner, E.L. (938) 386
Schroeder, F., see Kier, A.B. (938) 434
Sheikh, M.I., see Jørgensen, K.E. (938) 345
Spach, G., see Molle, G. (938) 310
Spiegel, S., Matyas, G.R., Cheng, L. and Sacktor, B.
Asymmetric distribution of gangliosides in rat renal brush-border and basolateral membranes (938) 270
Steer, C.J., Bisher, M.E., Trus, B.L., Hainfeld, J.F., Wall, J.S. and Steven, A.C.
Membrane contents of distinct subpopulations of coated vesicles determined by scanning transmission electron microscopy (938) 167
Stelzer, K.J. and Gordon, M.A.
Interactions of pyrethroids with gramicidin-containing liposomal membranes (938) 114
Steven, A.C., see Steer, C.J. (938) 167
Strel'chyonok, O.A., see Avvakumov, G.V. (938) 1
Suko, J., see Plank, B. (938) 79
Suko, J., see Wyskovsky, W. (938) 89
Sun, I.L., Toole-Simms, W., Crane, F.L., Morré, D.J., Löw, H. and Chou, J.Y.
Reduction of diferric transferrin by SV40 transformed pineal cells stimulates Na^+/H^+ antiport activity (938) 17
Szponarski, W., Wietzerbin, J., Borowski, E. and Gary-Bobo, C.M.
Interaction of ^{14}C-labelled amphotericin B derivatives with human erythrocytes: relationship between binding and induced K^+ leak (938) 97

Tauc, M., see Bidet, M. (938) 257
Tilcock, C.P.S., see Webb, M.S. (938) 323
Toole-Simms, W., see Sun, I.L. (938) 17
Trias, J., Rosenberg, E.Y. and Nikaido, H.
Specificity of the glucose channel formed by protein D1 of *Pseudomonas aeruginosa* (938) 493
Tristram-Nagle, S., see Wiener, M.C. (938) 135
Trus, B.L., see Steer, C.J. (938) 167

Van Ginkel, G., see Van Gurp, M. (938) 71
Van Gurp, M., Van Ginkel, G. and Levine, Y.K.
On the influence of the lipid matrix on energy transfer processes in self-assembling chlorophyll-lipid systems (938) 71
Villar, M.T., Artigues, A., Ferragut, J.A. and Gonzalez-Ros, J.M.
Phospholipase A_2 hydrolysis of membrane phospholipids causes structural alteration of the nicotinic acetylcholine receptor (938) 35

Wahle, K.W.J., see Macdonald, A.G. (938) 231
Walklin, C.M., see Allan, D. (938) 403
Wall, J.S., see Steer, C.J. (938) 167
Wallstén, M., see Yang, Q. (938) 243
Watanabe, J., see Yuasa, H. (938) 189
Webb, M.S., Tilcock, C.P.S. and Green, B.R.
Salt-mediated interactions between vesicles of the thylakoid lipid digalactosyldiacylglycerol (938) 323
Wenger, R., see Foxwell, B.M.J. (938) 447
Whitesell, R.R., see Abumrad, N.A. (938) 222
Wiener, M.C., Tristram-Nagle, S., Wilkinson, D.A., Campbell, L.E. and Nagle, J.F.
Specific volumes of lipids in fully hydrated bilayer dispersions (938) 135
Wietzerbin, J., see Szponarski, W. (938) 97
Wilkinson, D.A., see Wiener, M.C. (938) 135
Wilson, B., see Wu, V.-Y. (938) 107
Winters, M., see Foxwell, B.M.J. (938) 447
Wu, V.-Y., Wilson, B., Klepser, H. and Cohen, M.P.
Analysis of glycosaminoglycans in bovine retinal microvessel basement membrane (938) 107
Wyskovsky, W., Hauptner, R. and Suko, J.
Drug-induced calcium release from heavy sarcoplasmic reticulum of skeletal muscle (938) 89
Wyskovsky, W., see Plank, B. (938) 79

Yaguzhinsky, L.S., see Antonenko, Y.N. (938) 125
Yamamoto, I., see Yamauchi, K. (938) 51
Yamauchi, K., Yamamoto, I. and Kinoshita, M.
Surface charge modulation of liposomes by enzymatic hydrolysis of macrocyclic 1,2-dotriacontanedioyl-*sn*-glycero-3-phosphocholine (938) 51
Yang, Q., Wallstén, M. and Lundahl, P.
Immobilization of phospholipid vesicles and protein-lipid vesicles containing red cell membrane proteins on octyl derivatives of large-pore gels (938) 243
Yuasa, H., Iga, T., Hanano, M. and Watanabe, J.
Comparative assessment of the resistance of the unstirred water layer to solute transport between two different intestinal perfusion systems (938) 189

Ziegler, K., Polzin, G. and Frimmer, M.
Hepatocellular uptake of cyclosporin A by simple diffusion (938) 44